

Electric Motors and Gearboxes

End of Line Vibration Testing

- **Speeded up testing**
- **Works for all configurations of product**
- **Automatic recording of results**
- **Automatic test reports**

Prosig was contracted by USA-based electric motor manufacturer to integrate a system for end of line vibration test for electric motors they manufacture. The requirement was to qualify motors under final test to verify that vibration levels are within vibration specifications.

The customer requested the ability to switch between numerous motor models and apply different pass/fail limits for the different models as well as test gearboxes to evaluate gear tooth contact frequency.

Motors

A simple pass/warn/fail test based on single channel overall RMS vibration levels was implemented. Warning and fail target levels are recorded in a CSV file and the motor test software recalls the appropriate values for the operator specified motor model.

Gearboxes

A more involved test was designed for the gearboxes to measure the vibration signal, calculate the vibration spectrum, integrate the signal to velocity, identify the 1x and 2x gear tooth contact frequencies and evaluate each to verify the gearbox is within specified velocity vibration levels.

Conclusions


The DATS test system allowed the end user to quickly, accurately and consistently test all of their motors and gearboxes and greatly speeded up end of line testing.



| P8000 Signal Setup | | | | | | | |
|--------------------|---------|---------|--------------------|------|--------------------------|------------------|-----------------------------------|
| ID | Name | Acquire | Units | Gain | Input Range | Transducer Class | Sensitivity |
| 1 | Signal1 | Yes | m/sec ² | 10 | ±10.0 m/sec ² | IEPE | 100.0 mVolt/(m/sec ²) |
| 2 | Signal2 | No | V | 1 | ±10.0 V | Direct Voltage | 1000.0 mVolt/V |
| 3 | Signal3 | No | V | 1 | ±10.0 V | Direct Voltage | 1000.0 mVolt/V |
| 4 | Signal4 | No | V | 1 | ±10.0 V | Direct Voltage | 1000.0 mVolt/V |

| Data Capture Setup | | | |
|--------------------|-----------------------------|--|--|
| Sample Rate | 2048 Samples/Second/Channel | | |
| Acquisition Length | 5.0 Seconds | | |

| Threshold Setup | | | |
|-----------------|---------|-------------------------|----------------------|
| ID | Name | Warning Threshold Level | Fail Threshold Level |
| 1 | Signal1 | 1.10 | 2.10 |
| 2 | Signal2 | 1.10 | 2.10 |
| 3 | Signal3 | 1.10 | 2.10 |
| 4 | Signal4 | 1.10 | 2.10 |



The flexibility of the software means that all the different configurations of motor and gearbox can be tested.

About Prosig

Prosig is a UK company specialising in the testing and monitoring of complex machinery, vehicles and structures within the advanced engineering, automotive, aerospace, and industrial sectors. The company offers a wide range of system capabilities, experience and innovation, with a particular focus on advanced vibration and acoustic monitoring and analysis techniques. Prosig is part of Condition Monitoring Group Ltd, an international group, with headquarters in the UK and subsidiaries in three USA, Germany and Italy.

Prosig Ltd

Link House, High St
Fareham, Hampshire
PO16 7BQ, UK

UK: +44 (0) 1329 239925

sales@prosig.com

USA: +1 847-228-0985

prosigusa@prosig.com

www.prosig.com